

## 2014-Present

Eid C, **Branda SS**, Meagher RJ. A rapidly-prototyped microfluidic device for size-based nucleic acid fractionation using isotachophoresis. *The Analyst*. 2017; 142(12):2094-2099.

D'haeseleer P, Johnson SL, Davenport KW, Chain PS, Schoeniger J, Ray D, Sinha A, Williams KP, Peña J, **Branda SS**, El-Etr S. Genome Sequence of the Historical Clinical Isolate Burkholderia pseudomallei PHLS 6. *Genome Announcements*. 2016; 4(3).

Bent ZW, Poorey K, Brazel DM, LaBauve AE, Sinha A, Curtis DJ, House SE, Tew KE, Hamblin RY, Williams KP, **Branda SS**, Young GM, Meagher RJ. Transcriptomic Analysis of Yersinia enterocolitica Biovar 1B Infecting Murine Macrophages Reveals New Mechanisms of Extracellular and Intracellular Survival. *Infection and immunity*. 2015; 83(7):2672-85.

Bartsch MS, Edwards HS, Lee D, Moseley CE, Tew KE, Renzi RF, Van de Vreugde JL, Kim H, Knight DL, Sinha A, **Branda SS**, Patel KD. The rotary zone thermal cycler: a low-power system enabling automated rapid PCR. *PloS one*. 2015; 10(3): e0118182.

Jebrail MJ, Renzi RF, Sinha A, Van De Vreugde J, Gondhalekar C, Ambriz C, Meagher RJ, **Branda SS**. A solvent replenishment solution for managing evaporation of biochemical reactions in air-matrix digital microfluidics devices. *Lab on a chip*. 2015; 15(1):151-8.

Jebrail MJ, Sinha A, Vellucci S, Renzi RF, Ambriz C, Gondhalekar C, Schoeniger JS, Patel KD, **Branda SS**. World-to-digital-microfluidic interface enabling extraction and purification of RNA from human whole blood. *Analytical Chemistry*. 2014; 86(8):3856-62.

## 2011-2013

Bent ZW, **Branda SS**, Young GM. The Yersinia enterocolitica Ysa type III secretion system is expressed during infections both in vitro and in vivo. *MicrobiologyOpen*. 2013; 2(6):962-75.

Bent ZW, Brazel DM, Tran-Gyamfi MB, Hamblin RY, VanderNoot VA, **Branda SS**. Use of a capture-based pathogen transcript enrichment strategy for RNA-Seq analysis of the Francisella tularensis LVS transcriptome during infection of murine macrophages. *PloS one*. 2013; 8(10): e77834.

Sinha A, Jebrail MJ, Kim H, Patel KD, **Branda SS**. A versatile automated platform for micro-scale cell stimulation experiments. *Journal of Visualized Experiments: JoVE*. 2013; (78).

Kim H, Jebrail MJ, Sinha A, Bent ZW, Solberg OD, Williams KP, Langevin SA, Renzi RF, Van De Vreugde JL, Meagher RJ, Schoeniger JS, Lane TW, **Branda SS**, Bartsch MS, Patel KD. A microfluidic DNA library preparation platform for next-generation sequencing. *PloS one*. 2013; 8(7): e68988.

Bent ZW, Tran-Gyamfi MB, Langevin SA, Brazel DM, Hamblin RY, **Branda SS**, Patel KD, Lane TW, VanderNoot VA. Enriching pathogen transcripts from infected samples: a capture-based approach to enhanced

host-pathogen RNA sequencing. *Analytical Biochemistry*. 2013; 438(1):90-6.

Langevin SA, Bent ZW, Solberg OD, Curtis DJ, Lane PD, Williams KP, Schoeniger JS, Sinha A, Lane TW, **Branda SS**. Peregrine: A rapid and unbiased method to produce strand-specific RNA-Seq libraries from small quantities of starting material. *RNA Biology*. 2013; 10(4):502-15.

Vandernoot VA, Langevin SA, Solberg OD, Lane PD, Curtis DJ, Bent ZW, Williams KP, Patel KD, Schoeniger JS, **Branda SS**, Lane TW. cDNA normalization by hydroxyapatite chromatography to enrich transcriptome diversity in RNA-seq applications. *BioTechniques*. 2012; 53(6):373-80.

Wu M, Perroud TD, Srivastava N, Branda CS, Sale KL, Carson BD, Patel KD, **Branda SS**, Singh AK. Microfluidically-unified cell culture, sample preparation, imaging and flow cytometry for measurement of cell signaling pathways with single cell resolution. *Lab on a chip*. 2012; 12(16):2823-31.

Gil GC, Brennan J, Throckmorton DJ, **Branda SS**, Chirica GS. Automated analysis of mouse serum peptidome using restricted access media and nanoliquid chromatography-tandem mass spectrometry. *Journal of Chromatography. B, Analytical Technologies in The Biomedical and Life Sciences*. 2011; 879(15-16):1112-20.

## 2004-2010

Srivastava N, Brennan JS, Renzi RF, Wu M, **Branda SS**, Singh AK, Herr AE. Fully integrated microfluidic platform enabling automated phosphoprotein profiling of macrophage response. *Analytical Chemistry*. 2009; 81(9):3261-9.

N'Diaye EN, Branda CS, **Branda SS**, Nevarez L, Colonna M, Lowell C, Hamerman JA, Seaman WE. TREM-2 (triggering receptor expressed on myeloid cells 2) is a phagocytic receptor for bacteria. *The Journal of Cell Biology*. 2009; 184(2):215-23.

Morikawa M, Kagihiro S, Haruki M, Takano K, **Branda S**, Kolter R, Kanaya S. Biofilm formation by a *Bacillus subtilis* strain that produces gamma-polyglutamate. *Microbiology* (Reading, England). 2006; 152(Pt 9):2801-7.

Chu F, Kearns DB, **Branda SS**, Kolter R, Losick R. Targets of the master regulator of biofilm formation in *Bacillus subtilis*. *Molecular Microbiology*. 2006; 59(4):1216-28.

**Branda SS**, Chu F, Kearns DB, Losick R, Kolter R. A major protein component of the *Bacillus subtilis* biofilm matrix. *Molecular Microbiology*. 2006; 59(4):1229-38.

Kearns DB, Chu F, **Branda SS**, Kolter R, Losick R. A master regulator for biofilm formation by *Bacillus subtilis*. *Molecular Microbiology*. 2005; 55(3):739-49.

**Branda SS**, Vik S, Friedman L, Kolter R. Biofilms: the matrix revisited. *Trends in Microbiology*. 2005; 13(1):20-6.

**Branda SS**, González-Pastor JE, Dervyn E, Ehrlich SD, Losick R, Kolter R. Genes involved in formation of structured multicellular communities by *Bacillus subtilis*. *Journal of Bacteriology*. 2004; 186(12):3970-9.

**Branda SS**, Kolter R. Microbial Biofilms. Washington, DC: ASM Press; 2004. *Chapter 2, Multicellularity and biofilms*; p.20-29. 426p.

## 1995-2003

Rockmill B, Fung JC, **Branda SS**, Roeder GS. The Sgs1 helicase regulates chromosome synapsis and meiotic crossing over. *Current Biology*. 2003; 13(22):1954-62.

**Branda SS**, González-Pastor JE, Ben-Yehuda S, Losick R, Kolter R. Fruiting body formation by *Bacillus subtilis*. *Proceedings of the National Academy of Sciences of the United States of America*. 2001; 98(20):11621-6.

**Branda SS**, Cavadini P, Adamec J, Kalousek F, Taroni F, Isaya G. Yeast and human frataxin are processed to mature form in two sequential steps by the mitochondrial processing peptidase. *The Journal of Biological Chemistry*. 1999; 274(32):22763-9.

**Branda SS**, Yang ZY, Chew A, Isaya G. Mitochondrial intermediate peptidase and the yeast frataxin homolog together maintain mitochondrial iron homeostasis in *Saccharomyces cerevisiae*. *Human molecular genetics*. 1999; 8(6):1099-110.

Ashmarina LI, Pshezhetsky AV, **Branda SS**, Isaya G, Mitchell GA. 3-Hydroxy-3-methylglutaryl coenzyme A lyase: targeting and processing in peroxisomes and mitochondria. *Journal of lipid research*. 1999; 40(1):70-5.

Isaya G, **Branda SS**, Chew A, Zhang Z. Proteolysis in Cell Functions. *Amsterdam: IOS Press*; 1997. *Mitochondrial intermediate peptidase: Natural substrates and biologic role*; p.340-347.

**Branda SS**, Isaya G. Prediction and identification of new natural substrates of the yeast mitochondrial intermediate peptidase. *The Journal of Biological Chemistry*. 1995; 270(45):27366-73.